

FIG. 3




FIG. 5

504		506		508		510		512		514		516		518		520		522		500		
Name	Status	Type	Value	Mask	VLAN	Priority	Deny?	Rate Limit	Layer													
Contain Subnet 54	Enabled	IP Address Bilateral	10.20.54.0	255.255.255.0	55	7	No	None	3													
502																						

Fig. 5

604		606		608		610		612		600	
Name		Rule 1	Rule 2	Rule 3	Rule 4						
Contain IP Eng Subnet Traffic		contain subnet 54	contain subnet 55	contain subnet 56	contain subnet 57						
602											

Fig. 6

Fig. 6

704	706	708	710	712	714	700	702
Name	Default VLAN	Default Priority	Service 1	Service 2	Service 3		
Engineering	5	None	Contain DHCP	Contain ICMP	Contain IP Eng Subnet Traffic		

Fig. 7

10071873.000007

**Edit Rule**

Layer: Network

Type: IP Address Bilateral

Value: 10.20.54.0  
Mask: 255.255.255.0

OK  
Apply  
Cancel  
Help

Fig. 8




Fig. 9.

File Edit View Tools Help

Services Network Elements Main Policies

Service Groups

- Services
  - Contain ARP/RARP
  - Contain AppleTalk
  - Contain CTRIX
  - Contain DHCP
  - Contain ICMP
  - Contain IP: Eng Subnet Traffic
    - contain subnet 54
    - contain subnet 55
    - contain subnet 56
    - contain subnet 57
  - Contain IP NetBIOS
  - Contain Netware
  - Contain SAP
  - Contain Telnet
  - Deny AppleTalk
  - Deny Bootp/DHCP Servers
  - Deny CTRIX
  - Deny FTP
  - Deny Internet Access
  - Deny MMAC+ Polls
  - Deny Raw NetBIOS
  - Deny SAP
  - Deny VoIP
  - High Priority Internet Access
  - High Priority SAP
  - High Priority VoIP
  - Low Priority Internet Access
  - Routing Protocols

Details View Summary Policies

Contents of Services Contain IP Eng Subnet Traffic

Name	Rule Status	Rule Type	Rule Value	Rule Mask	VLAN	COS
contain subnet 54	Enabled	IP Address Bilateral	10.20.54.0	255.255.255.0	5[Engineering]	Priority 7
contain subnet 55	Enabled	IP Address Bilateral	10.20.55.0	255.255.255.0	5[Engineering]	Priority 7
contain subnet 56	Enabled	IP Address Bilateral	10.20.56.0	255.255.255.0	5[Engineering]	Priority 6
contain subnet 57	Enabled	IP Address Bilateral	10.20.57.0	255.255.255.0	5[Engineering]	Priority 4

Fig. 10.

FIG. 11




Fig. 11






Fig. 12









Fig. 13C






FIG. 14 B

1500




FIG. 15